

September 20, 1985

Distribution:
Docket No. 50-320
NRC PDR
Local PDR
TMI HQ R/F
TMI Site R/F
BJSnyder
WDTravers
MTMasnik
RAWeller
JRHall
PGrant
RCook
CCowgill
LChandler, ELD
IE (3)
LSchneider
TBarnhart (4)
ACRS (16)
OPA
SECY

Docket No. 50-320

Mr. F. R. Standerfer
Vice President/Director
Three Mile Island Unit 2
GPU Nuclear Corporation
P.O. Box 480
Middletown, PA 17057

Dear Mr. Standerfer:

Subject: Three Mile Island Unit 2
Operating License No. DPR-73
Docket No. 50-320
Corrected Pages for August 8, 1985 Amendment of Order

Eisenhut/Denton
RHartfield, MPA
M-town Off.

On August 8, 1985, the Director, Nuclear Reactor Regulation, issued an Amendment of Order modifying certain pages of the TMI-2 Proposed Technical Specifications (PTS). It has been brought to our attention that two editorial errors and an additional typographical error are associated with the modified pages.

On page 3.7-2 of the PTS, Sections 3.7.3.2 and 3.7.3.3 were not removed, although they had been correctly deleted and transposed to page 3.7-1. On page B 3/4 7-1, Section 3/4.7.3.3 MINI DECAY HEAT REMOVAL SYSTEM, was inadvertently omitted. Also, on page B 3/4 7-1, in Section 3/4.7.6 FLOOD PROTECTION, the value 301 ft. should be 302 ft.; the correct value was inadvertently changed in the submittal of Technical Specification Change Request Number 46, dated November 6, 1984. The enclosed pages replace and amend those transmitted in the Amendment of Order dated August 8, 1985.

Sincerely,

Original signed by
B. J. Snyder

Bernard J. Snyder, Program Director
Three Mile Island Program Office
Office of Nuclear Reactor Regulation

8510040351 850920
PDR ADOCK 05000320
P PDR

- Enclosures:
1. Correction to Amendment of Order
2. Corrected Pages
3. Federal Register Notice

cc: T. F. Demmitt
R. E. Rogan
S. Levin

*all us. Dept. of Energy
disputed 7/20/85*
Denton
RDenton
9/20/85

OFFICE	W. H. Linton	TMIPO:NRR	SL:TMIPO:NRR	PD:TMIPO:NRR	ELD	DD:NRR
SURNAME	J. J. Byrne	JRHall;bg	RAWeller	BJSnyder	LChandler	PDHartmut.
DATE	A. W. Miller	9/16/85	9/16/85	9/16/85	9/20/85	9/20/85
	Service Distribution List (see attached)					

TMI-2 SERVICE LIST

Dr. Thomas Murley
Regional Administrator, Region I
U.S. Nuclear Regulatory Commission
631 Park Avenue
King of Prussia, PA 19406

John F. Wolfe, Esq., Chairman,
Administrative Judge
3409 Shepherd St.
Chevy Chase, MD. 20015

Dr. Oscar H. Paris
Administrative Judge
Atomic Safety and Licensing
Board Panel
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Dr. Frederick M. Shon
Administrative Judge
Atomic Safety and Licensing
Board Panel
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Karin W. Carter
Assistant Attorney General
505 Executive House
P.O. Box 2357
Harrisburg, PA 17120

Dr. Judith M. Johnsrud
Environmental Coalition on
Nuclear Power
433 Orlando Ave.
State College, PA 16801

George F. Trowbridge, Esq.
Shaw, Pittman, Potts and
Trowbridge
1800 M. St., NW
Washington, D.C. 20036

Atomic Safety and Licensing Board Panel
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Atomic Safety and Licensing Appeal Panel
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Secretary
U.S. Nuclear Regulatory Commission
ATTN: Chief, Docketing & Service Branch
Washington, D.C. 20555

Mr. Larry Hochendoner
Dauphin County Commissioner
P.O. Box 1295
Harrisburg, PA 17108-1295

John E. Minnich, Chairperson,
Dauphin County Board of Commissioners
Dauphin County Courthouse
Front and Market Streets
Harrisburg, PA 17101

Dauphin County Office of Emergency
Preparedness
Court House, Room 7
Front & Market Streets
Harrisburg, PA 17101

U.S. Environmental Protection Agency
Region III Office
ATTN: EIS Coordinator
Curtis Building (Sixth Floor)
6th & Walnut Streets
Philadelphia, PA 19106

Thomas M. Gerusky, Director
Bureau of Radiation Protection
Department of Environmental Resources
P.O. Box 2063
Harrisburg, PA 17120

Den Kennedy
Office of Environmental Planning
Department of Environmental Resources
P.O. Box 2063
Harrisburg, PA 17120

Willis Bixby, Site Manager
U.S. Department of Energy
P.O. Box 88
Middletown, PA 17057-0311

David J. McGoff
Division of Three Mile Island Programs
NE-23
U.S. Department of Energy
Washington, D.C. 20545

William Lochstet
104 Davey Laboratory
Pennsylvania State University
University Park, PA 16802

Randy Myers, Editorial
The Patriot
812 Market St.
Harrisburg, PA 17105

Robert B. Borsum
Babcock & Wilcox
Nuclear Power Generation Division
Suite 220
7910 Woodmount Ave.
Bethesda, MD. 20814

Michael Churchill, Esq.
PILCDP
1315 Walnut St., Suite 1632
Philadelphia, PA 19107

Linda W. Little
5000 Hermitage Dr.
Raleigh, NC 27612

Mervin I. Lewis
6504 Bradford Terrace
Philadelphia, PA 19149

Jane Lee
183 Valley Rd.
Etters, PA 17319

J.B. Liberman, Esquire
Berlack, Israels, Liberman
26 Broadway
New York, NY 10004

Walter W. Cohen, Consumer Advocate
Department of Justice
Strawberry Square, 14th Floor
Harrisburg, PA 17127

Edward O. Swertz
Board of Supervisors
Londonderry Township
RFD #1 Geyers Church Rd.
Middletown, PA 17057

Robert L. Knupp, Esquire
Assistant Solicitor
Knupp and Andrews
P.O. Box P
407 N. Front St.
Harrisburg, PA 17108

John Levin, Esquire
Pennsylvania Public Utilities Comm.
P.O. Box 3265
Harrisburg, PA 17120

Mr. Edwin Kintner
Executive Vice President
General Public Utilities Nuclear Corp.
100 Interpace Parkway
Parsippany, NJ 07054

Ad Crable
Lancaster New Era
8 West King Street
Lancaster, PA 17602

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

In the Matter of)	
)	
GENERAL PUBLIC UTILITIES NUCLEAR CORPORATION)	Docket No. 50-320
)	
(Three Mile Island Nuclear Station, Unit 2))	

CORRECTION TO AMENDMENT OF ORDER


On August 8, 1985, the Director, Nuclear Reactor Regulation, issued an Amendment of Order to be effective September 23, 1985, modifying certain limiting conditions for operation and their corresponding bases in the Proposed Technical Specifications to more correctly reflect the systems or equipment that are necessary, based on the present status of TMI-2. The Director's action was supported by the staff's safety evaluation issued concurrently with the August 8, 1985 Amendment of Order. The changes to the Proposed Technical Specifications, which included the deletion of the closed cycle cooling water systems in Section 3.7.3, contain two errors of an editorial nature. Proposed Technical Specification page 3.7-1 correctly deleted the requirements of Sections 3.7.3.1, 3.7.3.2, and 3.7.3.3, as addressed in the staff's safety evaluation. However, in the revised Proposed Technical Specifications the licensee failed to delete Sections 3.7.3.2 and 3.7.3.3 from page 3.7-2, although these sections had been correctly modified and added to page 3.7-1. On page B 3/4 7-1 of the Proposed Technical Specifications, the licensee neglected to list Section 3/4 7.3.3 MINI DECAY HEAT REMOVAL SYSTEM (MDHRS), which, although correctly deleted as addressed in the safety evaluation and authorized by the Amendment of Order, should nonetheless have been listed on that page.

8510040357 850920
PDR ADOCK 05000320
P PDR

Unrelated to the actions authorized by the Amendment of Order, the licensee has identified a typographical error contained on page B 3/4 7-1 of the Proposed Technical Specifications. In Section 3/4 7.6 FLOOD PROTECTION, the value 301 ft. should be 302 ft. The correct value, 302 ft., remains unchanged, consistent with the current Proposed Technical Specifications.

Accordingly, the Amendment of Order dated August 8, 1985, is hereby corrected to incorporate the modifications set forth in Enclosure 1 hereto.

FOR THE NUCLEAR REGULATORY COMMISSION



Darrell G. Eisenhut, Deputy Director
Office of Nuclear Reactor Regulation

Effective Date: September 23, 1985
Dated at Bethesda, Maryland
Issuance Date: September 20, 1985

ENCLOSURE 2

LIMITING CONDITIONS FOR OPERATION

3.7.4 NUCLEAR SERVICE RIVER WATER SYSTEM

3.7.4.1 Two independent Nuclear Service River Water loops shall be OPERABLE.

APPLICABILITY: RECOVERY MODE.

ACTION: -

With one Nuclear Service River Water loop inoperable, restore the inoperable loop to OPERABLE status within 72 hours.

3/4.7 PLANT SYSTEMS

BASES

3/4.7.1 FEEDWATER SYSTEM

Deleted by Amendment of Order Dated April 1, 1982.

3/4.7.2 SECONDARY SERVICES CLOSED COOLING WATER SYSTEM

Deleted.

3/4.7.3 CLOSED CYCLE COOLING WATER SYSTEM

3/4.7.3.1 NUCLEAR SERVICES CLOSED CYCLE COOLING SYSTEM

Deleted.

3/4.7.3.2 DECAY HEAT CLOSED COOLING WATER SYSTEM

Deleted.

3/4.7.3.3 MINI DECAY HEAT REMOVAL SYSTEM (MDHRS)

Deleted.

3/4.7.4 NUCLEAR SERVICE RIVER WATER SYSTEM

The Nuclear Service River Water System uses river water to cool the diesel generators. Therefore, it must be OPERABLE also. This system rejects its heat to the river as the Ultimate Heat Sink.

3/4.7.6 FLOOD PROTECTION

The limitation on flood protection ensures that facility protective actions will be taken in the event of flood conditions. The limit of elevation of 302 ft. Mean Sea Level USGS datum is the elevation at which facility flood control measures are required to be taken to provide protection to Safety Related equipment.

ENCLOSURE 3



UNITED STATES
 NUCLEAR REGULATORY COMMISSION
 WASHINGTON, D.C. 20555

September 20, 1985

Docket No. 50-320

Docketing and Service Section
 Office of the Secretary of the Commission

SUBJECT: Three Mile Island Unit 2
 Correction to Amendment of Order, Issued August 8, 1985
 (Effective September 23, 1985)

Two signed originals of the Federal Register Notice identified below are enclosed for your transmittal to the Office of the Federal Register for publication. Additional conformed copies () of the Notice are enclosed for your use.

- Notice of Receipt of Application for Construction Permit(s) and Operating License(s).
- Notice of Receipt of Partial Application for Construction Permit(s) and Facility License(s); Time for Submission of Views on Antitrust Matters.
- Notice of Availability of Applicant's Environmental Report.
- Notice of Proposed Issuance of Amendment to Facility Operating License.
- Notice of Receipt of Application for Facility License(s); Notice of Availability of Applicant's Environmental Report; and Notice of Consideration of Issuance of Facility License(s) and Notice of Opportunity for Hearing.
- Notice of Availability of NRC Draft/Final Environmental Statement.
- Notice of Limited Work Authorization.
- Notice of Availability of Safety Evaluation Report.
- Notice of Issuance of Construction Permit(s).
- Notice of Issuance of Facility Operating License(s) or Amendment(s).
- Other: Correction to Amendment of Order

Bernard J. Snyder

Bernard J. Snyder, Program Director
 Office of Nuclear Reactor Regulation

Enclosure:
 As Stated