

Writer's Direct Dial Number

December 19, 1980
TLL 678

TMI Program Office
Attn: Mr. Lake Barrett, Deputy Director
U. S. Nuclear Regulatory Commission
c/o Three Mile Island Nuclear Station
Middletown, Pennsylvania 17057

Dear Sir:

Three Mile Island Nuclear Station, Unit 2 (TMI-2)
Operating License No. DPR-73
Docket No. 50-320
Cork Seal Contamination Report

Our letter dated December 15, 1980 (TLL 657), detailed our evaluation to date of the cork seal contamination problem and included the contamination concentrations of various cork samples. The sample results for location EW-3 were not available at the time TLL 657 was transmitted to you as indicated in Table 1 of the letter. The analyses for this location have now been completed and are provided below. The cork in this location has deteriorated to the extent that no sample was available at the 36-inch depth.

<u>POINT</u>	<u>DEPTH</u>	<u>Cs-134</u>	<u>Cs-137</u>
EW-3	6"	1.1E-2	7.7E-2
	12"	3.9E-3	2.7E-2
	18"	1.7E-3	1.1E-2
	24"	2.1E-3	1.4E-2
	30"	6.6E-4	4.7E-3
	36"	----	----

Sincerely,

/s/ G. K. HOVEY
G. K. Hovey
Vice-President and
Director, TMI-2

GKH:JJB:dad

cc: 

*A001
5/10*